

University of Groningen

Widespread Translocation from Autosomes to Sex Chromosomes Preserves Genetic Variability in an Endangered Lark

Brooke, M. de L.; Welbergen, Justin A.; Mainwaring, Mark C.; van der Velde, Marco; Harts, A. M. F.; Komdeur, Jan; Amos, William

Published in:
Journal of Molecular Evolution

DOI:
[10.1007/s00239-010-9333-3](https://doi.org/10.1007/s00239-010-9333-3)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Brooke, M. D. L., Welbergen, J. A., Mainwaring, M. C., van der Velde, M., Harts, A. M. F., Komdeur, J., & Amos, W. (2010). Widespread Translocation from Autosomes to Sex Chromosomes Preserves Genetic Variability in an Endangered Lark. *Journal of Molecular Evolution*, 70(3), 242-246.
<https://doi.org/10.1007/s00239-010-9333-3>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Markers listed in Table 1, and the authors originally describing them.

Aar - Hansson et al. (2000), Ase - Richardson et al. (2000), Calex - Kupper et al. (2007), Cuμ - Gibbs et al. (1999), Esc - Hanotte et al. (1994), Fhu - Ellegren (1992), Hru - Primmer et al. (1995), Lei - Wardle et al. (1999), Lox - Pieltney et al. (1998), Mcy - Double et al. (1997), Mjg - Li et al. (1997), Mme - Jeffery et al. (2001), Pca - Dawson et al. (2000), Pdo - Griffith et al. (1999), Pocc - Bensch et al. (1997), Ppi - Martinez et al. (1999).

Bensch S, Price T, Kohn J (1997) Isolation and characterization of microsatellite loci in a *Phylloscopus* warbler. Mol Ecol 6:91-92

Dawson DA, Hanotte O, Greig C, Stewart IRK, Burke T (2000) Polymorphic microsatellites in the blue tit *Parus caeruleus* and their cross-species utility in 20 songbird families. Mol Ecol 9:1941-1944

Double MC, Dawson D, Burke T, Cockburn A (1997) Finding the fathers in the least faithful bird: A microsatellite-based genotyping system for the superb fairy-wren *Malurus cyaneus*. Mol Ecol 6:691-693

Ellegren H (1992.) Polymerase-chain-reaction (PCR) analysis of microsatellites – a new approach to studies of genetic relationships in birds. Auk 109:886-895

Gibbs HL, Taba LM, Hobson K (1999) Characterization of microsatellite DNA loci for a neotropical migrant songbird, the Swainson's thrush (*Catharus ustulatus*). Mol Ecol 8:1551-1552

Griffith SC, Stewart IRK, Dawson DA, Owens IPF, Burke T (1999) Contrasting levels of extra-pair paternity in mainland and island populations of the house sparrow (*Passer domesticus*): is there an 'island effect'? Biol J Linn Soc 68:303-316

Hanotte O, Zanon C, Pugh A, et al (1994) Isolation and characterization of microsatellite loci in a passerine bird - the reed bunting *Emberiza schoeniclus*. Mol Ecol 3:529-530

Hansson B, Bensch S, Hasselquist D, et al (2000) Increase of genetic variation over time in a recently founded population of great reed warblers (*Acrocephalus arundinaceus*) revealed by microsatellites and DNA fingerprinting. Mol Ecol 9:1529-1538

Jeffery KJ, Keller LF, Arcese P, Bruford MW (2001) The development of microsatellite loci in the song sparrow, *Melospiza melodia* (Aves) and genotyping errors associated with good quality DNA. Mol Ecol Notes 1:11-13

Küpper C, Horsburgh GJ, Dawson DA, French-Constant R, Székely T, Burke T (2007) Characterization of 36 polymorphic microsatellite loci in the Kentish plover (*Charadrius alexandrinus*) including two sex-linked loci and their amplification in four other *Charadrius* species. Mol Ecol Notes 7:35-39

Li SH, Huang YJ, Brown JL (1997) Isolation of tetranucleotide microsatellites from the Mexican jay *Aphelocoma ultramarina*. Mol Ecol 6:499-501

Martinez JG, Soler JJ, Soler M, Møller AP, Burke T (1999) Comparative population structure and gene flow of a brood parasite, the great spotted cuckoo (*Clamator glandarius*), and its primary host, the magpie (*Pica pica*). Evolution 53:269-278

- Piertney SB, Marquiss M, Summers R (1998) Characterization of tetranucleotide microsatellite markers in the Scottish crossbill (*Loxia scotica*). Mol Ecol 7:1261-1263
- Primmer CR, Møller AP, Ellegren H (1995) Resolving genetic-relationships with microsatellite markers - a parentage testing system for the swallow *Hirundo rustica*. Mol Ecol 4:493-498
- Richardson DS, Jury FL, Dawson DA, et al (2000) Fifty Seychelles warbler (*Acrocephalus sechellensis*) microsatellite loci polymorphic in *Sylviidae* species and their cross-species amplification in other passerine birds. Mol Ecol 9:2226-2231
- Wardle A, Dawson D, Gibbs M, Parham A, Burke T (1999) Further development of chicken microsatellite loci: 21 markers mapped. Anim Genet. 30:225-244